

Safety Data Sheet:

According to EC Regulation 1907/2006/EC - revision 453/2010 (REACH)

Print Date 12/02/2013

Creation Date 12/02/2013

Revision Date 12/02/2013

SECTION 1. IDENTIFICATION OF THE SUBSTANCE / MIXTURE AND OF THE COMPANY / UNDERTAKING

1.1. Product identifier

Product Name SIMPLE SOLUTION EXTREME CARPET SHAMPOO
Product Code EP_Z113 X1

1.2. Relevant identified uses of the substance or mixture and uses advised against

Recommended use

Low-Foaming Fabric Cleaner & Carpet Shampoo.

1.3. Details of the supplier of the safety data sheet

The Bramton Company,
Suite 2 Barnack House
Southgate way
Orton Southgate
Peterborough PE2 6GP
Tel: +44 (0) 1733 404390

E-mail address info@bramtonuk.com
Website address www.simplesolution.uk.com

1.4. Emergency telephone number

+44 (0) 1733 404390 (available during Office hours)

SECTION 2. HAZARDS IDENTIFICATION

2.1. Classification of the substance or mixture

This preparation is not classed as hazardous by Directive 1999/45/EC. In addition, Directive 2009/2/EC with the 31st Adaptation of Directive 67/548/EEC (Hazardous substances) has been taken into account. This is a detergent product and complies with the Detergent Regulation (EC) No.648/2004.

2.2. Label elements

S -phrase(s)

S25 Avoid contact with eyes
S2 Keep out of reach of children

2.3. Other hazards

No additional hazards identified

The components in this formulation do not meet the criteria for classification as PBT or vPvB. As defined under the regulation EC 1907/2006.

SECTION 3. COMPOSITION / INFORMATION OF INGREDIENTS

3.2. Mixtures

Component	CAS-No	EC No.	Weight %	Classification	EU - GHS/CLP	Notes
TETRAPOTASSIUM PYROPHOSPHATE	7320-34-5	-	2.5 - < 5	Xi; R36		
DIPROPYLENE GLYCOL METHYL ETHER	34590-94-8	252-104-2	2.5 - < 5	-		
MONOPROPYLENE GLYCOL METHYL ETHER	107-98-2	203-539-1	1 - < 2.5	R10 R67	Flam. Liq. 3 (H226) STOT SE 3 (H336)	

For any R phrases mentioned in this section, see the full text in section 16.

SECTION 4. FIRST AID MEASURES

4.1. Description of first aid measures

General advice

Get medical attention immediately if symptoms occur.

Eye Contact

In case of contact, immediately flush eyes with plenty of water for at least 15 minutes

Skin Contact

Wash off immediately with soap and plenty of water removing all contaminated clothes and shoes

Ingestion

Rinse mouth with water. If swallowed, seek medical advice and show this container or label.

4.2. Most important symptoms and effects, both acute and delayed

Sensitization

No information available.

Eye contact

May cause irritation as itching and redness.

Skin contact

Unlikely to be irritant on brief or occasional exposure.

4.3. Indication of any immediate medical attention and special treatment needed

Notes to physician

Treat symptomatically

SECTION 5. FIRE-FIGHTING MEASURES

5.1. Extinguishing media

Suitable Extinguishing Media

Water spray, Foam, Carbon dioxide (CO₂), Dry powder

5.2. Special hazards arising from the substance or mixture

When exposed to high temperatures, the preparation may release dangerous decomposition products such as carbon monoxide and dioxide, smoke and/or nitrogen oxide. Oxides of phosphorus. Potassium oxides.

Material can create slippery conditions.

5.3. Advice for firefighters

Firefighters should wear a self-contained breathing apparatus and full protective gear.

SECTION 6. ACCIDENTAL RELEASE MEASURES

6.1. Personal precautions, protective equipment and emergency procedures

Avoid contact with skin, eyes, and clothing. Use personal protective equipment. Refer to protective measures listed in sections 7 and 8. Prevent further leakage or spillage if safe to do so. Material can create slippery conditions.

6.2. Environmental precautions

Avoid release of neat product into surface water and sanitary sewage system.

6.3. Methods and material for containment and cleaning up

Methods for Containment

Contain spillage, soak up with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and transfer to a container for disposal according to local / national regulations (see section 13).

Methods for Cleaning up

Clean preferably with a detergent, do not use solvents.

6.4. Reference to other sections

Refer to sections 7, 8 and 13

SECTION 7. HANDLING AND STORAGE

7.1. Precautions for safe handling

Avoid contact with skin, eyes and clothing. Avoid breathing vapors or mists. Do not eat, drink or smoke when using this product. Ensure adequate ventilation.

7.2. Conditions for safe storage, including any incompatibilities

Store in original container. Keep containers tightly closed in a dry, cool and well-ventilated place. Keep out of the reach of children.

7.3. Specific end use(s)

No information available

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1. Control parameters

Exposure limits

For substances

Component	European Union	The United Kingdom	France	Germany	Belgium
DIPROPYLENE GLYCOL METHYL ETHER		STEL: 150 ppm STEL: 924 mg/m ³ TWA: 50 ppm TWA: 308 mg/m ³ Skin	TWA: 50 ppm TWA: 308 mg/m ³ Skin	AGW: 50ppm AGW: 310mg/m ³ Peak: 50ppm Peak: 310mg/m ³ TWA: 50ppm TWA: 310mg/m ³	50 ppm TWA; 308 mg/m ³ TWA
MONOPROPYLENE GLYCOL METHYL ETHER		STEL: 150 ppm STEL: 560 mg/m ³ TWA: 100 ppm TWA: 375 mg/m ³ Skin	TWA: 50 ppm TWA: 188 mg/m ³ STEL: 100 ppm STEL: 375 mg/m ³ Skin	AGW: 100ppm AGW: 370mg/m ³ Peak: 200ppm Peak: 740mg/m ³ TWA: 100ppm TWA: 370mg/m ³ BGW: 15mg/L	150 ppm STEL; 568 mg/m ³ STEL 100 ppm TWA; 375 mg/m ³ TWA

Component	Austria	Switzerland	Spain	Portugal	Italy
DIPROPYLENE GLYCOL METHYL ETHER	Skin STEL: 100 ppm STEL: 614 mg/m ³ TWA: 50 ppm TWA: 307 mg/m ³	STEL: 50 ppm STEL: 300 mg/m ³ TWA: 50 ppm TWA: 300 mg/m ³	Skin TWA: 50 ppm TWA: 308 mg/m ³	STEL: 150 ppm TWA: 100 ppm Skin	TWA: 50 ppm TWA: 308 mg/m ³ Skin
MONOPROPYLENE GLYCOL METHYL ETHER	Skin STEL: 50 ppm STEL: 187 mg/m ³ TWA: 50 ppm TWA: 187 mg/m ³ Ceiling: 50 ppm Ceiling: 187 mg/m ³	STEL: 200 ppm STEL: 720 mg/m ³ TWA: 100 ppm TWA: 360 mg/m ³	Skin STEL: 150 ppm STEL: 568 mg/m ³ TVA: 100 ppm TWA: 375 mg/m ³	STEL: 150 ppm TWA: 100 ppm	TWA: 100 ppm TWA: 375 mg/m ³ STEL: 150 ppm STEL: 568 mg/m ³ Skin

Component	Denmark	Finland	Norway	Sweden	Estonia
DIPROPYLENE GLYCOL METHYL ETHER	TWA: 50 ppm TWA: 309 mg/m ³ Skin	TWA: 50 ppm TWA: 310 mg/m ³ Skin	TWA: 50 ppm TWA: 300 mg/m ³ Skin	50ppm NGV 300mg/m ³ NGV	
MONOPROPYLENE GLYCOL METHYL ETHER	TWA: 50 ppm TWA: 185 mg/m ³ Skin	TWA: 100 ppm TWA: 370 mg/m ³ STEL: 150 ppm STEL: 560 mg/m ³ Skin	TWA: 50 ppm TWA: 180 mg/m ³ Skin	50ppm NGV 190mg/m ³ NGV	

Component	Hungary	Czech	Poland	Slovakia	Ireland
DIPROPYLENE GLYCOL METHYL ETHER	CK-érték: 308 mg/m ³ ÁK-érték: 308 mg/m ³	PEL: 270mg/m ³ NPK-P: 550mg/m ³	NDSch: 480 mg/m ³ NDS: 240 mg/m ³	hranicny 568mg/m ³ 50ppm NPEL 308mg/m ³ NPEL	TWA: 50 ppm TWA: 308 mg/m ³ Skin

Safety Data Sheet: According to EC Regulation 1907/2006/EC - revision 453/2010 (REACH)

Product Name SIMPLE SOLUTION EXTREME CARPET

Revision Date 12/02/2013

SHAMPOO

Product Code EP_Z113

Print Date 12/02/2013

MONOPROPYLENE GLYCOL METHYL ETHER	CK-érték: 568 mg/m ³ ÁK-érték: 375 mg/m ³	PEL: 270mg/m ³ NPK-P: 550mg/m ³	NDSch: 360 mg/m ³ NDS: 180 mg/m ³	hianicny 568mg/m ³ 100ppm NPEL 375mg/m ³ NPEL	TWA: 100 ppm TWA: 375 mg/m ³ STEL: 150 ppm STEL: 568 mg/m ³
--------------------------------------	--------------------------------------------------------------------	----------------------------------------------------------	------------------------------------------------------------	---------------------------------------------------------------------------	--------------------------------------------------------------------------------------------

Respiratory Protection

When workers are facing concentrations above the exposure limit they must use appropriate certified respirators. Conforming to EN 143 eg P2 / P3 Particle filters.

8.2. Exposure controls

Engineering Measures

General ventilation is normally adequate

Personal Protective Equipment

Use personal protection equipment as per Directive 89/686/EEC

Hand Protection

Long term use eg: continuous wear or immersion;. Wear suitable protective gloves conforming to EN 374. Type of gloves suggested :. Nitrile rubber. PVC. Neoprene gloves. For break through times, refer to glove manufacturers recommendations.

Eye Protection

Safety glasses if the method of use presents the likelihood of eye contact. Approved to EN 166.

General Hygiene Considerations

Do not eat, drink or smoke when using this product. Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of workday.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

9.1. Information on basic physical and chemical properties

Information below relates to typical values and does not constitute a specification

Appearance	Colorless	Autoignition Temperature	Not combustible
Odor	Characteristic	Boiling Point/Range	100 °C
Physical State	Liquid	Melting Point/Range	0 °C
pH	9.5	Flammability Limits in Air %	Not applicable
Flash Point	> 61 °C	Evaporation Rate	No information available
Specific Gravity	1.05 g/cm ³	Vapor Pressure	No information available
Viscosity	Fluid	Vapor Density	No information available
Solubility	Soluble in water	Explosive properties	No information available
		Oxidizing Properties	No information available
		VOC Content (%)	5.5 %

9.2. Other information

No other information available

SECTION 10. STABILITY AND REACTIVITY

10.1. Reactivity

Not considered as highly reactive. See further information below.

10.2. Chemical stability

Stable under normal conditions

10.3. Possibility of hazardous reactions

The mixture itself will not dangerously react or polymerise to create hazardous conditions in normal use

10.4. Conditions to avoid

No conditions to be specially mentioned

10.5. Incompatible materials

No materials to be specially mentioned

10.6. Hazardous decomposition products

None under normal storage conditions and use. When exposed to high temperatures, the preparation may release dangerous decomposition products such as carbon monoxide and dioxide, smoke and/or nitrogen oxide. Oxides of phosphorus. Potassium oxides.

Safety Data Sheet: According to EC Regulation 1907/2006/EC - revision 453/2010 (REACH)

Product Name SIMPLE SOLUTION EXTREME CARPET

Revision Date 12/02/2013

SHAMPOO

Product Code EP_Z113

Print Date 12/02/2013

SECTION 11. TOXICOLOGICAL INFORMATION

11.1. Information on toxicological effects

Product Information

The product itself has not been tested

Component	LD50 Oral	LD50 Dermal	LC50 Inhalation
DIPROPYLENE GLYCOL METHYL ETHER	= 5230 mg/kg (Rat)	= 9500 mg/kg (Rabbit)	
MONOPROPYLENE GLYCOL METHYL ETHER	= 5200 mg/kg (Rat)	= 13 g/kg (Rabbit)	= 54.6 mg/L (Rat) 4 h > 24 mg/L (Rat) 1 h

Sensitization

No information available.

Skin contact

Unlikely to be irritant on brief or occasional exposure.

Eye contact

May cause irritation as itching and redness.

Carcinogenicity

There are no known carcinogenic substances in this product.

Mutagenic Effects

There are no known mutagenic substances in this product.

Reproductive Effects

There are no known substances in this product with effects on reproduction

SECTION 12. ECOLOGICAL INFORMATION

12.1. Toxicity

Product Information

The product itself has not been tested.

Component	Toxicity to Fish	Water Flea	Toxicity to Algae
TETRAPOTASSIUM PYROPHOSPHATE	LC50 > 100 mg/L Oncorhynchus mykiss 96 h	EC50 > 100 mg/L 48 h	
DIPROPYLENE GLYCOL METHYL ETHER	LC50 > 10000 mg/L Pimephales promelas 96 h	LC50 = 1919 mg/L 48 h	
MONOPROPYLENE GLYCOL METHYL ETHER	LC50 = 20.8 g/L Pimephales promelas 96 h LC50 4600 - 10000 mg/L Leuciscus idus 96 h	EC50 = 23300 mg/L 48 h	

12.2. Persistence and degradability

The surfactant(s) contained in this preparation complies (comply) with the biodegradability criteria as laid down in Regulation (EC) No.648/2004 on detergents. Data to support this assertion are held at the disposal of the competent authorities of the Member States and will be made available to them, at their direct request or at the request of a detergent manufacturer.

12.3. Bioaccumulative potential

There is no test data on any of the components of this mixture.

Component	log Pow
DIPROPYLENE GLYCOL METHYL ETHER	-0.064
MONOPROPYLENE GLYCOL METHYL ETHER	-0.437

12.4. Mobility in soil

Soluble in water.

12.5. Results of PBT and vPvB assessment

Safety Data Sheet: According to EC Regulation 1907/2006/EC - revision 453/2010 (REACH)

Product Name SIMPLE SOLUTION EXTREME CARPET

Revision Date 12/02/2013

SHAMPOO

Product Code EP_Z113

Print Date 12/02/2013

The components in this formulation do not meet the criteria for classification as PBT or vPvB. As defined under the regulation EC 1907/2006.

12.6. Other adverse effects

No data available.

SECTION 13. DISPOSAL CONSIDERATIONS

13.1. Waste treatment methods

Waste from Residues / Unused Products

The used product can be drained to sewage if it does not contain hazardous materials and the pH is neutral (typically 5.5 to 9).

Contaminated Packaging

Empty remaining contents. Empty containers should be taken for local recycling, recovery or waste disposal. Recycle according to official regulations.

EWC waste disposal No

The following EWC/ AVV waste codes may be applicable: 07 06 01* aqueous washing liquids and mother liquors

Other Information

According to the European Waste Catalogue, Waste Codes are not product specific, but application specific.

SECTION 14. TRANSPORT INFORMATION

14.1, 14.2, 14.3, 14.4.

Not classified for transport as dangerous goods

14.5. Environmental hazards

The mixture is not environmentally hazardous for transport.

14.6. Special precautions for user

No special precautions.

14.7. Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code

Packaged product, not typically transported in IBC's

Additional information

The above information is based on latest transport regulations i.e. ADR for road, RID for rail, IMDG for sea and ICAO/IATA for air transport.

SECTION 15. REGULATORY INFORMATION

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

This preparation is not classed as hazardous by Directive 1999/45/EC. In addition, Directive 2009/2/EC with the 31st Adaptation of Directive 67/548/EEC (Hazardous substances) has been taken into account. This is a detergent product and complies with the Detergent Regulation (EC) No.648/2004.

WGK Classification

Weakly water-endangering (WGK 1), Classification according VwVwS

Labelling for contents (REGULATION (EC) No 648/2004 - 907/2006):

< 5% phosphates, < 5% amphoteric surfactants

15.2. Chemical safety assessment

No safety assessment has been created

SECTION 16. OTHER INFORMATION

Text of R phrases mentioned in Section 3

R36 - Irritating to eyes. R10 - Flammable. R67 - Vapours may cause drowsiness and dizziness.

Prepared By JD

Creation Date 12/02/2013

Revision Date 12/02/2013

Revision Summary

Initial Release

Safety Data Sheet: According to EC Regulation 1907/2006/EC - revision 453/2010 (REACH)

Product Name SIMPLE SOLUTION EXTREME CARPET
SHAMPOO

Revision Date 12/02/2013

Product Code EP_Z113

Print Date 12/02/2013

Abbreviations

REACH: Registration Evaluation Authorisation Restriction of Chemicals

EU: European Union

EC: European community

EEC: European Economic Community

UN: United Nations

CAS: Chemical Abstracts Service

PBT: Persistent Bioaccumulative Toxic

vPvB: very Persistent very Bioaccumulative

LC50: Lethal concentration, 50 percent

LD50 : Lethal dose, 50 percent

EC50: Effective concentration, 50 percent

LogPow: LogP octanol/water

VwVwS: Verwaltungsvorschrift wassergefährdende Stoffe (Administrative order relating to substances hazardous to water - Germany)

WGK: Wassergefährdungsklasse (Water Hazard Class - Germany).

AVV: Abfallverzeichnis-Verordnung (Waste Code - Germany)

ADR: Accord européen relatif au transport international des marchandises Dangereuses par Route (European agreement governing the international carriage of dangerous goods by road)

IMDG: International Maritime Dangerous Goods

IATA: International Air Transport Association

ICAO: International Civil Aviation Organisation

RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations concerning the International carriage of Dangerous goods by rail)

EmS: Emergency Response Procedures for Ships Carrying Dangerous Goods

ERG: Emergency Response Guidebook

IUCLID / RTECS International Uniform Chemical Information Database / Registry of Toxic Effects of Chemical Substances

GHS: Globally Harmonised System of classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

VOC: Volatile Organic Chemical

w/w: weight for weight

DMSO: Dimethyl sulphoxide

OECD: Organization for Economic Cooperation and Development

STEL: Short Term Exposure Limit

TWA: Time Weighted Average

Further Information

It is at all times the responsibility of the user to take all necessary measures to comply with legal requirements and local regulations.

Component test results displayed in sections 11 and 12 are typically supplied by ChemAdvisor and assembled from publicly available literature sources e.g. IUCLID / RTECS.

Disclaimer

The information provided on this SDS is correct to the best of our knowledge, information and belief at the date of its publication.

The information given is designed only as a guide for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered as a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other material or in any process, unless specified in the text

End of Safety Data Sheet